Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	420	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 17:07
L2	190	380/286.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 17:07
L3	851	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 17:07
L5	1178	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 17:08
S1	33	integrity adj key and protect$3 adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:40
S2	29	integrity near3 key and protect$3 near3 key and key near3 (repository database storage) and first adj key and second adj key and hash$3 and (password pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:46
S3	12	(US-4037214-$ or US-4281216-$ or US-4941176-$ or US-5200999-$ or US-5218637-$ or US-5323464-$ or US-6219726-$ or US-6396929-$ or US-6889328-$ or US-6901512-$ or US-5604801-$ or US-6760441-$).did.	USPAT	OR	ON	2005/06/23 15:48
S4	12	(integrity key protect$3 key key near3 repository database storage first adj key second$3 key hash$3 password pin master public private random) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:48
S5	0	("6901512").URPN.	USPAT	OR	ON	2005/06/23 15:59
S6	3369	master adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:00

S7	37	two adj master adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:03
S8	11	(root master) adj key same (generat$3 calculat$3) same (many serveral plurality) same (pin password username) same (operator user owner device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:06
S9	2	(root master) adj key with (generat$3 calculat$3) with (many serveral plurality) with (pin password username) with (operator user owner device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:09
S10	619	(root) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:09
S11	23	(root master) adj key with (generat$3 calculat$3) with (many serveral plurality) with (operator user owner device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:14
S12	673	(root master) adj key near5 (generat$3 calculat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:15
S13	664	(root master) adj key near5 (generat$3 calculat$3) and @ay <= "20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:16
S14	0	(root master) adj key near5 (generat$3 calculat$3) and @ay >= "20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:16
S15	356	(root master) adj key near5 (generat$3 calculat$3) and @ay >= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:16
S16	363	(root master) adj key near5 (generat$3 calculat$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:17

S17	125	(root master) adj key near3 (generat$3 calculat$3) and key adj (repository database storage management) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:31
S18	15	(root master) adj key near3 (generat$3 calculat$3) and key adj (repository database storage management) and key adj authenticat$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:35
S19	0	(primary) adj key near3 (generat$3 calculat$3) and key adj (repository database storage management) and key adj authenticat$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:35
S20	0	(primmary) adj key near3 (generat$3 calculat$3) and key adj (repitory database storage management) and key adj authenticat$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:35
S21	40	(primary) adj key near3 (generat$3 calculat$3) and key adj (repository database storage management) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:39
S22	30	(master root) adj key near3 (generat$3 calculat$3) same key adj (management) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:13
S23	10	(master root) adj key near3 (generat$3 calculat$3) same key adj (database) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:14
S24	19	(master root) adj key near3 (generat$3 calculat$3) and key adj (database) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:18
S25	183	key adj repository	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:18
S26	10	(master root) adj key near3 (generat$3 calculat$3) and key adj (repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:19

S27	40	(master root) adj key near3 (generat$3 calculat$3) and key adj (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:21
S28	37	two adj master adj keys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:43
S29	13	two adj (root primary) adj keys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:50
S31	14	"5675649"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 17:50
S32	12	("5675649").URPN.	USPAT	OR	ON	2005/06/23 17:59
S33	34	(root master) adj key with (split$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:29
S34	377	key with (revok$3 remov$3 delet$3) same (owner operator user) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:31
S35	17	key with (revok$3 remov$3 delet$3) same (owner operator user) adj key same (master adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 18:32
S36	2	("5675649").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:07